Tel: (818) 998-0223 Fax: (818) 998-6892 sales@AHSystems.com www.AHSystems.com

SAS-512F-7 Folding Log Periodic Antenna 190 MHz – 7 GHz

High frequency folding log periodic antenna for commercial and military testing applications.





Frequency Range: 190 MHz - 7000 MHz

Antenna Factor: 11 to 46 dB/m

Average Gain: 6.7 dBi
Maximum Continuous Power: 400 Watts

Max Radiated Field: 100 V/m

Pattern Type: directional Impedance: 50Ω

Connector: N-Type, female

Mounting Base: ¼ - 20 Thread, female

Features

- Frequency Range of 190 MHz to 7 GHz
- Receive and Transmit
- Individually Calibrated (1, 3 and 10 Meter calibration included, horizontal polarization)
- Folding design for portable applications
- Three Year Warranty

The SAS-512F-7 log periodic antenna is lightweight, compact and has been manufactured to ensure maximum gain, low VSWR and high power handling capabilities. This antenna also folds in half for ease of storage, an optional transit storage case is ideal for portable applications. This Linear polarized broadband dipole array is well suited for emissions and immunity testing applications.

Recommended Accessories


- ATU-510 (Antenna Tripod, Wooden)
- AEH-510 (Azimuth and Elevation Head)
- PAM-0204 (25 dB Preamplifier)
- LPM-510 (Log Periodic Tripod Mount)




Tel: (818) 998-0223

sales@AHSystems.com

Fax: (818) 998-6892 ◆ www.AHSystems.com







Tel: (818) 998-0223 Fax: (818) 998-6892 sales@AHSystems.comwww.AHSystems.com

Physical Dimensions

Length: 34.6 in. (88 cm)
Width: 29.5 in. (74.9 cm)
Weight: 2.3 lb.'s (1.04 kg)